L Number	Hits	Search Text	DB	Time stamp
-	2595	@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:34
-	4	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:20
-	4	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configur$5.ab,ti. AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 08:57
-	411	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:25
-	9	(((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information) AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 12:20
-	56	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configuration ADJ information WITH request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:03
-	27	@ad<20000929 AND XML WITH configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:28
-	20	("5247516" | "5367635" | "5524212" | "5678006" | "5708798" | "5715394" | "5768586" | "5799141" | "5802042" | "5809287" | "5956732" | "5968116" | "5974454" | "5999740" | "6074434" | "6223345" | "6253320" | "6366876" | "6377939" | "6404445").PN.	USPAT	2004/01/15 14:22
-	2416	@ad<20000929 AND customer ADJ premise ADJ equipment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:28
-	1	@ad<20000929 AND XML AND customer ADJ premise ADJ equipment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:28
-	0	@ad<20000929 AND XML WITH template SAME device WITH configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:16
-	11	@ad<20000929 AND XML WITH template AND device WITH configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 14:45

-	1212	(@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.) AND XML same template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:10
-	1211	(@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.) AND XML WITH template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:10
-	1	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML WITH template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:10
-	2	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML same template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:10
-	60	@ad<20000929 AND script$3 ADJ install$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:37
-	28	@ad<20000929 AND XML WITH configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:34
-	43	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:37
-	69	@ad<20000929 AND (configur$5 AND (XML markup)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 15:37
-	8	((@ad<20000929 AND 709/220-222.ccls.) (@ad<20000929 AND 709/227-228.ccls.)) AND configur$5.ab,ti. AND (HTML markup).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:06
-	45	("4750136" | "4763191" | "5250940" | "5287103" | "5319644" | "5361250" | "5367635" | "5423002" | "5513126" | "5572572" | "5572643" | "5633920" | "5657378" | "5687398" | "5761662" | "5809287" | "5812776" | "5826253" | "5832522" | "5835720" | "5835727" | "5835911" | "5838683" | "5873103" | "5887139" | "5895461" | "5913037" | "5918016" | "5922047" | "5956732" | "5961586" | "5974454" | "5995756" | "5999740" | "6005568" | "6012088" | "6026438" | "6031904" | "6041360" | "6061686" | "6074434" | "6122657" | "6141666" | "6195681" | "6195694").PN.	USPAT	2004/02/10 09:01
-	14	@ad<20000929 AND template WITH configur$5 WITH (XML HTML markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:21

-		55	@ad<20000929 AND device ADJ specific ADJ configuration AND information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:22
-		2	@ad<20000929 AND device ADJ specific ADJ configuration AND information SAME (template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:01
-		10	("5838918" | "5956719" | "6009103" | "6023699" | "6192362" | "6233616" | "6298354" | "6321259" | "6330560" | "6366954").PN.	USPAT	2004/02/10 13:35
-		9	@ad<20000929 AND XML same (DTD (document ADJ type ADJ definition)) same syntax SAME HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:15
-		114	@ad<20000929 AND XML ADJ parser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:44
-		52	@ad<20000929 AND XML ADJ parser SAME DTD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:25
-		7	("5124909" | "5200993" | "5309351" | "5347632" | "5404523" | "5463625" | "5550657").PN.	USPAT	2004/02/11 08:11
-		63	@ad<20000929 AND XML same (DTD (document ADJ type ADJ definition)) SAME HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:16
-		137	@ad<20000929 AND syntax ADJ checking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:25
-		71	@ad<20000929 AND syntax ADJ checking AND configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:25
-		8	@ad<20000929 AND syntax ADJ checking SAME configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:54
-		0	@ad<20000929 AND generat$3 ADJ event WITH service SAME successful SAME syntax	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:13
-		2	@ad<20000929 AND event ADJ service SAME validated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:59

-	0	@ad<20000929 AND event ADJ service SAME successful ADJ configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:05
-	0	@ad<20000929 AND event ADJ service SAME successful NEAR configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:05
-	51	@ad<20000929 AND event ADJ service SAME configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:07
-	2008	@ad<20000929 AND configur$5 WITH plurality WITH (concurrently simultaneously)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:09
-	89	@ad<20000929 AND configur$5 WITH plurality WITH (concurrently simultaneously) WITH devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:10
-	66	@ad<20000929 AND configur$5 WITH plurality WITH (concurrently simultaneously) AND 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 10:11
-	51	@ad<20000929 AND configur$5 WITH plurality NEAR3 devices WITH (concurrently simultaneously)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:32
-	515	@ad<20000929 AND partial$2 ADJ configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 11:09
-	331	@ad<20000929 AND partial ADJ configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 08:58
-	23	(@ad<20000929 AND partial$2 ADJ configur$5) AND 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 11:09
-	11	("4941089" | "5210530" | "5621721" | "5651006" | "5678006" | "5867659" | "5889470" | "6032183" | "6052724" | "6104868" | "6128656").PN.	USPAT	2004/02/11 11:13
-	7	("5210530" | "5471617" | "5621721" | "5678006" | "5931911" | "6018625" | "6058445").PN.	USPAT	2004/02/11 11:18
-	7	("5210530" | "5471617" | "5621721" | "5678006" | "5931911" | "6018625" | "6058445").PN.	USPAT	2004/02/11 14:33
-	4	6128656.URPN.	USPAT	2004/02/11 14:34
-	4	6370141.URPN.	USPAT	2004/02/11 14:36

C:\Joe\EAST\09\600\09675921.wsp

-		21	("5587740" | "5602905" | "5708782" | "5710886" | "5761071" | "5768142" | "5774663" | "5781909" | "5791991" | "5802299" | "5812765" | "5815657" | "5818446" | "5826267" | "5894512" | "5898835" | "5899982" | "5901287" | "5905248" | "5909545" | "5949411").PN.	USPAT	2004/02/11 14:53
-		11	@ad<20000929 AND publish WITH event ADJ service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 08:59
-		1	@ad<20000929 AND application WITH request WITH topology WITH configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:33
-		34	@ad<20000929 AND request WITH topology WITH configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:15
-		6	@ad<20000929 AND topology WITH configur$5 NEAR (network ADJ device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:47
-		0	@ad<20000929 AND configure WITH based ADJ (topology (network ADJ topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:48
-		12	@ad<20000929 AND configur$5 WITH based ADJ (topology (network ADJ topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:47
-		24480	@ad<20000929 AND test ADJ device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:47
-		6	@ad<20000929 AND applying WITH test ADJ device WITH before	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:04